Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	27	(split\$4 divid\$4) same xml same (fragment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:35
L2	14	1 and encod\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:40
13	2455659	"14" and (position xpath)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:41
L4	10	2 and (position xpath)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 14:35
L5	1	"20040064481"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 14:35
L6	0	5 and (physical logical)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:03
L7	1	5 and type\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:23
L8	1	5 and extract\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:25
L9	1	5 and (uri or link or hyperlink\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:25
S1	3417	715/513,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27
S2	3579	707/102.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27
S3	1260	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27

S4	2468	707/103Y,103Z,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:28
S5	12	(split\$4 divid\$4) with xml with (fragment\$2)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/02/03:13:11



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

Fri, 3 Feb 2006, 3:51:46 PM EST



Recent Search Queries

- #1 ((split or divide<in>metadata) <and>(xml<in>metadata)) <and>(fragment<in>metadata)
- #2 ((xml<in>metadata)<and>(fragment<in>metadata))<and>(rule<in>metadata)
- #3 ((object<in>metadata) <and> (configuration<in>metadata)) <and> (xml<in>metadata)
- #4 ((xml<in>metadata) <and> (object <in>metadata))<and> (fragment<in>metadata)
- #5 ((xml<in>metadata)<and>(reference<in>metadata))<and>(object<in>metadata)
- #6 ((xml<in>metadata)<and>(encoding rule<in>metadata))
- #Z ((multiple fragments<in>metadata) <and> (xml<in>metadata))
- #8 ((xml<in>metadata)<and>(configuration rule<in>metadata))<and>(fragment<in>metadata)
- #9 ((xml <in>metadata) <and>(configuration rule<in>metadata))



Help Contact Us Privacy & !

© Copyright 2006 (EEE --

Minspec